

### MC3 - 250 A

MC3 - 250 A, Three-phase current transformers

Code: M73123.

> Usefull diam.(mm): 26 > System: Three-phase > Class 0,5 Power (VA): 0,1 > Max. Current (A): 250

### Description

Current transformers specifically designed to be installed above a switch:

- $\circ~$  Transformer range from 63 to 250 A
- Secondary 250 mA
- o Compatible with CIRCUTOR's MC range of products: CVM-MINI, CVM-NET, CVM-NET4, CVM-C, CVM-B, CDP-0, CDP-G

### **Application**

Installation in confined spaces, utilizing the space above the circuit breakers and earth leakage protection In installations that allow the power supply to be shut down for the installation of transformers.



Page 1 of 3





## MC3 - 250 A

Three-phase efficient current transformers

Code: M73123.

### **Specifications**

Electrical characteristics	
Safety factor (SF)	FS 5
Power	0.1 VA (Class 0,5)
Insulation voltage between terminals S1-S2	3 kV
Mechanical characteristics	
Size (mm) width x height x depth	120.7 x 24 x 59.2 (mm)
Envelope	Plastic V0 self-extinguishing
Weight (kg)	0,218
Environmental characteristics	
Thermal Class	Class B (+130 °C)
Protection class	IP 20
Specific technical characteristics of current sensors	
Inner diameter Ø (mm)	26
Operating voltage	0,72 kV~ máx.
Current measurement circuit	
Nominal frequency	50 / 60 Hz
Primary current measurement	250 A
Dynamic current (Idyn)	2,5 lth
Thermal short-circuit current (lth)	60 ln
Transformation ratio	/ 250 mA
Standards	
Standards	IEC 60044-1
Measurement accuracy	
Accuracy	Clase 0,5







# MC3 - 250 A

Three-phase efficient current transformers


Code: M73123.

MC3
Three-phase current transformers

CODE	TYPE	Max. Current (A)	Class 0,5 Power (VA)	Useful diam.(mm)	System
M73121.	MC3 - 63 A	63	0,1	7,1	Three-phase
M73122.	MC3 - 125 A	125	0,1	14,6	Three-phase
M73123.	MC3 - 250 A	250	0,1	26	Three-phase

The MC/SC3 transformers with a 250 mA output are only compatible with CVM NET-MC, CVM-A, CVM-B, CVM-E3-MINI and CVM-C units.

#### Dimensions Connections





Page 3 of 3