Eaton LPS-RK-4SP

Catalog Number: LPS-RK-4SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 4 A, Dual, RK1, Nonindicating, Ferrule end x ferrule end, Time delay/Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog
Eaton Bussmann series LPS-RK fuse	LPS-RI
UPC	Product
051712548212	5 in
Product Height	Product
.81 in	.81 in
Product Weight	Warrant
1.6 lb	Not App
Compliances CE Marked	

g Number K-4SP t Length/Depth t Width

nty

plicable



Electrical rating

Amperage Rating

4 A

Interrupt rating

300 kAIC at 600 Vac 100 kAIC at 300 Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Electrically isolated end cap

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

LPS-RK-4SP~LOW-PEAK DUAL ELEMENT

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

Bussmann series Fuseology

Specifications and datasheets Eaton Specification Sheet - LPS-RK-4SP

Technical service bulletins Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia