

PRODUCT-DETAILS

CAL18-11B

CAL18-11B Auxiliary Contact Block



General Information

| | |
|-----------------------|--|
| Extended Product Type | CAL18-11B |
| Product ID | 1SFN010720R3311 |
| EAN | 7320500256312 |
| Catalog Description | CAL18-11B Auxiliary Contact Block |
| Long Description | 2 pole screw type side mounted auxilliary contact block fitted outside CAL18-11, instantaneous N.O. and N.C. contacts, suitable for standard industrial environments |

Technical

| | |
|--------------|---|
| Suitable For | AF400 AF460 AF580 AF750 AF1250 AF1350 AF1650 AF2050 AF2650 AF2850 A145 A185 A210 A260 A300 AF145 AF185 AF210 AF260 AF300 |
|--------------|---|

| | |
|---------------------------------|---|
| Suitable for Product Class | Block Contactors |
| Rated Operational Voltage | Auxiliary Circuit 24 ... 690 V |
| Power Loss | at Rated Operating Conditions per Pole 0.15 W |
| Number of Auxiliary Contacts NC | 1 |
| Number of Auxiliary Contacts NO | 1 |
| Tightening Torque | Auxiliary Circuit 1 N·m |
| Recommended Screw Driver | Auxiliary Circuit 1 x 5.5 Auxiliary Circuit Pozidriv 2 |
| Wire Stripping Length | Auxiliary Circuit 9 mm |
| Terminal Type | Screw Terminals |

Environmental

| | |
|----------------------|-----------------------------------|
| Degree of Protection | IP20 |
| RoHS Status | Following EU Directive 2011/65/EU |

Dimensions

| | |
|----------------------------|---------|
| Product Net Width | 64.5 mm |
| Product Net Height | 74 mm |
| Product Net Depth / Length | 17.1 mm |
| Product Net Weight | 0.04 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 64.5 mm |
| Package Level 1 Height | 34.2 mm |
| Package Level 1 Depth / Length | 74 mm |
| Package Level 1 Gross Weight | 0.05 kg |
| Package Level 1 EAN | 7320500256312 |

Ordering

| | |
|------------------------|----------|
| Minimum Order Quantity | 2 piece |
| Customs Tariff Number | 85369010 |
| E-Number (Finland) | 3709264 |
| E-Number (Norway) | 4116023 |
| E-Number (Sweden) | 3228822 |

Certificates and Declarations (Document Number)

| | |
|---------------------------------|--|
| CB Certificate | SE-85989 |
| CQC Certificate | CQC2003010304088244 CQC2009010304365509 |
| cUL Certificate | 20120925-E36588 |
| Declaration of Conformity - CCC | 2020980304001307 2020980304001060 |
| Declaration of Conformity - CE | 2CMT2015-005448 |

| | |
|----------------------------------|-----------------|
| Declaration of Conformity - UKCA | 2CMT2020-006119 |
| Instructions and Manuals | 1SFC101009M5501 |
| RoHS Information | 2CMT2015-005448 |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SBC100122C0202 |
| Instructions and Manuals | 1SFC101009M5501 |

Classifications

| | |
|----------------------------|---|
| ETIM 7 | EC000041 - Auxiliary contact block |
| ETIM 8 | EC000041 - Auxiliary contact block |
| EPLAN Catalog Tree | Electrical engineering / Relays, contactors / Auxiliary block |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |
| CN8 | 8536 90 10 |
| UNSPSC | 39121529 |
| eClass | V11.1 : 27371302 |
| Object Classification Code | K |

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

