# **Product specifications**

# Eaton NOS-60

# Catalog Number: NOS-60

Eaton Bussmann series NOS fuse, Supplemental one-time fuse, Non current limiting, Light duty circuit locations, 60 A, Class K5|Class H, Non-indicating, Ferrule end x ferrule end, 50 kAlC at 600 Vac, Standard, 10, 600 V

## General specifications

**Product Name** 

Eaton Bussmann series NOS fuse

UPC

051712310604

**Product Height** 

5.5 in

**Product Weight** 

.25 lb

Compliances

CE Marked

Catalog Number

NOS-60

Product Length/Depth

1.6 in

**Product Width** 

1.6 in

Warranty

Not Applicable



## Electrical rating

**Amperage Rating** 

60 A

Interrupt rating

50 kAIC at 600 Vac

Voltage rating

600 V

## Physical details

Packaging type

Standard

#### General information

Class

Class K5

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non current limiting

#### Resources

#### Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - NOS-60

Technical data sheets

NOS-60~BUSS ONE TIME FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia