

Eaton LPS-RK-12SP

Catalog Number: LPS-RK-12SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 12 A, Dual, RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-12SP
UPC	EAN
051712548311	5027590243704
Product Length/Depth	Product Height
5 in	.81 in
Product Width	Product Weight
.81 in	.17 lb
Warranty	Compliances
Not Applicable	CE Marked



Electrical rating

Amperage Rating

12 A

Interrupt rating

100 kAIC at 300 Vdc

300 kAIC at 600 Vac

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[LPS-RK-12SP-LOW-PEAK DUAL ELEMENT](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LPS-RK-12SP](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)