

Eaton LPS-RK-2-8/10SP

Catalog Number: LPS-RK-2-8/10SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 2.8 A, Dual, RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-2-8/10SP
UPC	EAN
051712548175	5027590243728
Product Length/Depth	Product Height
5 in	.81 in
Product Width	Product Weight
.81 in	.17 lb
Warranty	Compliances
Not Applicable	CE Marked



Electrical rating

Amperage Rating

2.8A

Interrupt rating

100 kAIC at 300 Vdc

300 kAIC at 600 Vac

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[LPS-RK-2-8/10SP~LPS-RK-2-8-10SP~LOW-PEAK DUAL ELEMENT](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LPS-RK-2-8/10SP](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)