

Eaton FWH-50B

Catalog Number: FWH-50B

Eaton Bussmann series FWH high speed fuse, 1200V, 50A, 200 kAIC at 1000 Vac, 50 kAIC at 500 Vdc, None, High speed fuse, Blade end X blade end, Stud

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWH-50B
	UPC
	051712795777
EAN	Product Length/Depth
5027590499682	108 mm
Product Height	Product Width
28 mm	90 mm
Product Weight	Warranty
63 g	Not Applicable
Compliances	Certifications
CE Marked	UL Recognized CSA Certified



Product specifications

Rated voltage DC

500 V

Interrupt rating

200 kAIC at 1000 Vac

50 kAIC at 500 Vdc

Center-to-center distance of connections

60.75 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC/DC

Mounting method

Stud

Amperage Rating

50 A

Fuse type

FWH-B

Rated switching capacity

200 kA

Voltage rating

500 Vac, 500 Vdc

Fuse indicator

Non Indicating

Construction size

Other

Clearing (I2T)

670

Rated voltage AC

500 V

Color

None

Connection

Blade end x blade end

Mounting dimension

M8

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Specifications and datasheets

Eaton Specification Sheet - FWH-50B

Utilization category

aR (accompanied semiconductor protection)

Watt losses

7.5 W

Type

High speed fuse

Fuse shape

Cylindrical, center bolted tags

Breaking capacity

200 kA

Class

Class aR

Pre arc (I2T)

135

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC/DC



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)