Eaton FWP-70B

Catalog Number: FWP-70B

Eaton Bussmann series FWP high speed fuse, 250 Vac/dc, 70A, 200 kAIC Vac, 50 kAIC at 700 Vdc, None, High speed fuse, Blade end X blade end, Stud

General specifications

Product Name

Eaton Bussmann series high speed

cylindrical fuse

FWP-70B

UPC

051712796019

Product Length/Depth

Catalog Number

EAN

5027590021821

112 mm

Product Height

Product Width

25 mm

25 mm

Product Weight

Warranty

108 g

Not Applicable

Compliances

Certifications

CE Marked RoHS Compliant

UL Recognized CSA Certified



Product specifications

Rated voltage DC

700 V

Interrupt rating

50 kAIC at 700 Vdc

200 kAIC Vac

Center-to-center distance of connections

91.5 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC/DC

Mounting method

Stud

Amperage Rating

700 A

Fuse type

FWP-B

Rated switching capacity

200 A

Voltage rating

700 Vac, 700 Vdc (UL)

Fuse indicator

Non Indicating

Construction size

Other

Clearing (I2T)

2000 at 700 V

Rated voltage AC

700 V

Color

None

Connection

Blade end x blade end

Mounting dimension

M8

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Specifications and datasheets

Eaton Specification Sheet - FWP-70B

Technical data sheets

FWP NA bolted fuse-links

Utilization category

aR (accompanied semiconductor protection)

Watt losses

18 W

Type

High speed fuse

Fuse shape

Center bolted tags

Breaking capacity

200 kA

Class

Class aR

Pre arc (I2T)

305

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC/DC

Packaging type

Standard



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia