

Eaton FWH-60B

Catalog Number: FWH-60B

Eaton Bussmann series FWH high speed fuse, 1000 Vdc, 60A, 200 kAIC at 1000 Vac, 50 kAIC at 500 Vdc, None, High speed fuse, Blade end X blade end, Stud

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWH-60B
	UPC
	051712795784
EAN	Product Length/Depth
5027590499712	108 mm
Product Height	Product Width
28 mm	90 mm
Product Weight	Warranty
63 g	Not Applicable
Compliances	Certifications
CE Marked	CSA Certified UL Recognized



Product specifications

Rated voltage DC

500 V

Interrupt rating

50 kAIC at 500 Vdc

200 kAIC at 1000 Vac

Center-to-center distance of connections

60.75 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC/DC

Mounting method

Stud

Amperage Rating

60 A

Fuse type

FWH-B

Fuse system (according to IEC 60269)

Other

Rated switching capacity

200 kA

Voltage rating

500 Vac, 500 Vdc

Fuse indicator

Non Indicating

Construction size

Other

Clearing (I2T)

900

Rated voltage AC

500 V

Color

None

Connection

Blade end x blade end

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Specifications and datasheets

Eaton Specification Sheet - FWH-60B

Mounting dimension

M8

Utilization category

aR (accompanied semiconductor protection)

Watt losses

9.9 W

Type

High speed fuse

Fuse shape

Cylindrical, center bolted tags

Breaking capacity

200 kA

Class

Class aR

Pre arc (I²T)

210

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC/DC



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)